

BRIDGESTONE mootorratta rehvid

Kehtib alates 25.01.2022.a.



Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
Custom Radial			
9798	140/75 R15 H50R 65H TL	184,0	220,8
1724	180/70 R16 G850 77H TL G TRP XC WAR	180,0	216,0
1726	150/80 R16 G853 71H TL G TRP XC WAR	132,0	158,4
2180	150/80 R16 G853 71V TL E C1800R WAR	171,0	205,2
2181	240/55 R16 G852 86V TL G C1800R WAR	243,0	291,6
6075	150/80 R16 E-MAX F 71V TL	171,0	205,2
6077	200/60 R16 E-MAX R 79V TL	238,0	285,6
6078	240/55 R16 E-MAX R 86V TL	243,0	291,6
6083	180/70 R16 E-MAX R 77V TL	180,0	216,0
6209	200/60 R16 G852 79H TL G SUZ WAR	238,0	285,6
13517	200/55 R16 G852 77H TL G GL1800 WAR	225,0	270,0
13521	200/55 R16 G852 77H TL CANCELED WAR	135,0	162,0
79137	180/60 R16 G704 74H TL GL1800 WAR	209,0	250,8
2763	200/50 ZR17 G852 (75W) TL G INTRUDER WAR	225,0	270,0
6076	200/50 ZR17 E-MAX R (75W) TL	225,0	270,0
6080	170/60 ZR17 E-MAX R (72W) TL	164,0	196,8
6081	190/60 R17 E-MAX R 78V TL	188,0	225,6
6084	130/70 ZR17 E-MAX F (62W) TL	152,0	182,4
6208	130/80 R17 G853 65H TL G SUZ WAR	127,0	152,4
7320	200/50 R17 M/C G852 75V F CT1300	225,0	270,0
10577	140/75 R17 H50F 67V TL	184,0	220,8
10579	200/55 R17 H50R 78V TL	213,0	255,6
10580	150/60 ZR17 H50R (66W) TL	189,0	226,8
49889	150/80 R17 G701 72H TL	130,0	156,0
2618	120/70 R18 BT028F 59V TL G YAM VMAX WAR	158,0	189,6
2619	200/50 R18 BT028R 76V TL G YAM VMAX WAR	241,0	289,2
2762	120/70 ZR18 G853 (59W) TL G INTRUDER WAR	152,0	182,4
6074	120/70 ZR18 E-MAX F (59W) TL	170,0	204,0
6079	130/70 ZR18 E-MAX F (63W) TL	130,0	156,0
7319	130/70 R 18 M/C G853 63V F CT1300	130,0	156,0
7327	210/40 R18 M/C G852 73H G XVS1300CU	247,0	296,4
10576	120/70 ZR18 H50F (59W) TL	136,0	163,2
10578	240/40 R18 H50R 79V TL	231,0	277,2
13516	130/70 R18 G853 63H TL G GL1800 WAR	130,0	156,0
13520	130/70 R18 G853 63H TL CANCELED WAR	130,0	156,0
77270	130/70 R18 G709 63H TL GL1800	130,0	156,0
79221	130/70 R18 G851 63H TL G XV1900 WAR	130,0	156,0
6082	120/70 ZR19 E-MAX F (60W) TL	140,0	168,0
10575	120/70 ZR19 H50F (60W) TL	140,0	168,0
Custom diagonal			
4579	180/70 -15 G722 76H TT LW G WAR	178,0	213,6
6088	170/80 B15 E-MAX R 77H TL	152,0	182,4
6090	150/90 B15 E-MAX R 74V TL	149,0	178,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
6118	180/70 -15 E-MAX R 76H TL	151,0	181,2
6119	160/80 -15 E-MAX R 74S TL	144,0	172,8
6122	140/90 -15 E-MAX R 70H TL	122,0	146,4
6126	130/90 -15 E-MAX R 66S TL	99,0	118,8
6127	150/80 -15 E-MAX R 70H TL	134,0	160,8
6129	160/80 -15 E-MAX R 74S TT	140,0	168,0
6132	140/90 -15 E-MAX R 70H TT	120,0	144,0
6137	130/90 -15 E-MAX R 66S TT	98,0	117,6
6138	150/80 -15 E-MAX R 70H TT	132,0	158,4
73022	170/80 -15 G546 77S TT	142,0	170,4
75188	170/80 -15 G544 77H TL R1200C	152,0	182,4
77020	170/80 -15 G702 77H TT VS1400	149,0	178,8
77347	170/80 B15 G702 77H TL	152,0	182,4
77348	170/80 -15 G702 77S TT	142,0	170,4
2900	130/90 B16 G721 67H TL E VN1700 WAR	122,0	146,4
2901	170/70 B16 G722 75H TL E VN1700 WAR	186,0	223,2
3028	170/70 B16 G722 75H TL J MIDNIGHT WAR	186,0	223,2
4580	130/90 -16 G721 67H TT LW G WAR	134,0	160,8
6086	130/90 B16 E-MAX F 67H TL	122,0	146,4
6087	170/70 B16 E-MAX R 75H TL	186,0	223,2
6089	150/80 B16 E-MAX R 71H TL	149,0	178,8
6091	150/80 B16 E-MAX R 71H TT	146,0	175,2
6115	130/90 -16 E-MAX F 67H TL	122,0	146,4
6116	150/80 -16 E-MAX F 71H TL	149,0	178,8
6136	130/90 -16 E-MAX F 67H TT	120,0	144,0
6609	150/80 B16 G722 71H TL F YAM WAR	149,0	178,8
7321	150/80 - 16 M/C G705 71H G XVS1300	149,0	178,8
9338	150/80 B16 G722 71H TL F XV950R WAR	149,0	178,8
9779	130/90 B16 H50F 73H TL UM	134,0	160,8
9781	130/90 B16 H50F 67H TL UM	123,0	147,6
9783	150/80 B16 H50R 77H TL UM	163,0	195,6
9784	140/90 B16 H50R 77H TL UM	174,0	208,8
9785	130/90 B16 H50R 73H TL UM	161,0	193,2
10058	150/80 B16 G722 71H TT L XVR950 WAR	149,0	178,8
10585	180/65 B16 H50R 81H TL	227,0	272,4
10588	180/70 B16 H50R 77H TL	243,0	291,6
23304	180/65B16 H50R 81H RFD TL UM G BMW R18 WA	239,0	286,8
49999	110/90 -16 G508 59S TL	78,0	93,6
72917	3.50 -16 S701 58P 6 RFD TT	62,0	74,4
76252	160/80 -16 G702 80H RFD TL TJ	181,0	217,2
76294	140/90 -16 G702 71H TT G VULCA900	136,0	163,2
76565	130/90 -16 G703 67H TT L VN1500N	120,0	144,0
77346	150/80 B16 G703 71H TL	149,0	178,8
77555	130/90 -16 G721 67H TL VN1600	122,0	146,4
6120	120/90 -17 E-MAX F 64H TL	112,0	134,4
6130	120/90 -17 E-MAX F 64H TT	110,0	132,0
9786	160/70 B17 H50R 73V TL UM	170,0	204,0
9797	100/80 -17 H50F 52H TL	107,0	128,4
10581	130/80 B17 H50F 65H TL	155,0	186,0
10587	180/60 B17 H50R 75V TL	237,0	284,4
73583	3.00 -17 L301 45P 4 TT	54,0	64,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
74713	100/90 -17 G527 55S TL	81,0	97,2
75174	160/70 -17 G548 73V TL	179,0	214,8
75199	120/90 -17 G701 64S TT VT-750	110,0	132,0
76271	100/90 -17 L309 55S TT	79,0	94,8
77271	140/80 -17 L309 69H TT VT1100	140,0	168,0
3027	130/70 -18 G721 63H TL J MIDNIGHT WAR	130,0	156,0
6125	110/90 -18 E-MAX F 61H TL	124,0	148,8
10584	130/70 B18 H50F 63H TL	133,0	159,6
10586	180/55 B18 H50R 80H TL	235,0	282,0
49087	3.00 -18 L303 47P 4 TT	49,0	58,8
73706	3.00 -18 L303 47S 4 TT TU250	54,0	64,8
75158	110/80 -18 G547 58V TL	115,0	138,0
75162	110/90 -18 G525 61V TL RBT	122,0	146,4
76237	2.75 -18 G511 42P 4 TT	39,0	46,8
76240	3.00 -18 G510 52P 6 RFD TT	42,0	50,4
76249	130/70 -18 G701 63H TL TJ	130,0	156,0
6117	100/90 -19 E-MAX F 57H TL	100,0	120,0
6124	110/90 -19 E-MAX F 62H TL	114,0	136,8
6128	100/90 -19 E-MAX F 57H TT	98,0	117,6
6134	110/90 -19 E-MAX F 62H TT	111,0	133,2
6608	100/90 -19 G721 57H TL F YAM WAR	100,0	120,0
9337	100/90 -19 G721 57H TL F XV950R WAR	100,0	120,0
9780	100/90 B19 H50F 57H TL UM	109,0	130,8
10057	100/90 -19 G721 57H TT L XVR950 WAR	100,0	120,0
10582	130/60 B19 H50F 61H TL	140,0	168,0
23302	120/70 B19 H50F 60H TL UM G BMW R18 WAR	147,0	176,4
48357	100/90 -19 L309 57H TL	100,0	120,0
48963	100/90 -19 S11F 57H TL RWT UM	100,0	120,0
49256	3.00 -19 L303 49H 4 TL	84,0	100,8
70172	100/90 -19 L309 57S TT VT600C	92,0	110,4
72951	110/90 -19 L307 62H TT	111,0	133,2
73323	3.00 -19 L303 49S 4 TT	70,0	84,0
76616	110/80 -19 G515 59S TT	107,0	128,4
6121	80/90 -21 E-MAX F 48H TL	97,0	116,4
6123	90/90 -21 E-MAX F 54H TL	99,0	118,8
6131	80/90 -21 E-MAX F 48H TT	95,0	114,0
6133	90/90 -21 E-MAX F 54H TT	97,0	116,4
7323	120/70 -21 M/C G721 62H G XVS1300CU	109,0	130,8
9782	80/90 -21 H50F 54H TL UM	93,0	111,6
10583	130/60 B21 H50F 63H TL	126,0	151,2
Full road race			
2689	190/650 R17 R04 YCX TL	220,0	264,0
2690	190/650 R17 R04 YCY TL	220,0	264,0
3666	120/600 R17 E05Z YEK TL	165,0	198,0
3719	170/630 R17 E08Z YEK TL	199,0	238,8
3720	170/630 R17 E08Z YDA TL	199,0	238,8
3721	180/640 R17 E08Z YEK TL	211,0	253,2
5888	120/600 R17 V01F S0F TL	158,0	189,6
5889	190/650 R17 V01R S0F TL	220,0	264,0
5890	190/650 R17 V01R MED TL	220,0	264,0
7192	120/600 R17 V02F S0F TL (SBK)	165,0	198,0

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
7193	120/600 R17 V02F MED TL (SBK)	165,0	198,0
7194	200/655 R17 V02R SOF TL (SBK)	241,0	289,2
7195	200/655 R17 V02R MED TL (SBK)	241,0	289,2
7196	90/580 R17 V02F SOF TL (GP3)	127,0	152,4
7197	90/580 R17 V02F MED TL (GP3)	127,0	152,4
7198	120/600 R17 V02R SOF TL (GP3)	165,0	198,0
7199	120/600 R17 V02R MED TL (GP3)	165,0	198,0
8432	200/655 R17 V02R SOF NEW SPEC TL (SBK)	241,0	289,2
8433	120/600 R17 W01F YEK TL (SBK)	165,0	198,0
8434	190/650 R17 W01R TL (SBK)	241,0	289,2
8435	90/580 R17 W01F YEK TL (GP3)	127,0	152,4
8436	120/595 R17 W01R YEK TL (GP3)	165,0	198,0
9777	110/590 R17 W01F TL	117,0	140,4
9778	165/630 R17 W01R TL	179,0	214,8
9799	140/620 R17 W01R TL	151,0	181,2
13889	120/600 R17 V02F SOF TL VM SOFT	179,0	214,8
13890	120/600 R17 V02F MED TL VM MED	179,0	214,8
16632	200/655 R17 V02R TL 3LC S/M	265,0	318,0
17419	110/80 R18 CR11F TL FM	164,0	196,8
17421	150/65 R18 CR11R TL FM	210,0	252,0
19608	200/655 R17 V02R TL 3LC X/S	265,0	318,0
24735	180/655 R17 V02R 3XS TL	257,0	308,4
24736	180/655 R17 V02R SOF TL	233,0	279,6
28201	120/605R17 V02F TL NHS NS SOFT	179,0	214,8
28202	120/605R17 V02F TL NHS NS MED	179,0	214,8
73996	110/590 R17 ME01 YEK TL	151,0	181,2
74722	160/620 R17 ME04 YEK TL	170,0	204,0
77210	120/600 R17 R04 YCX TL	158,0	189,6
77212	165/630 R17 R02 YCX TL	170,0	204,0
77676	90/580 R17 R03 YDC TL	127,0	152,4
77677	90/580 R17 R03 YCX TL	127,0	152,4
77716	165/630 R17 R02 YCY TL	170,0	204,0
78383	90/580 R17 E03 YEK TL	127,0	152,4
78384	120/595 R17 E06 YEK TL	158,0	189,6
78385	180/640 R17 E06 YEK TL	211,0	253,2
78547	120/600 R17 R04 YDC TL	158,0	189,6
78861	180/640 R17 R04 YCY TL	202,0	242,4
78862	180/640 R17 R04 YCX TL	202,0	242,4
78866	120/600 R17 R01 YDC TL	158,0	189,6
78867	120/600 R17 R01 YCX TL	158,0	189,6
79414	125/600 R16.5 BM01 SOF TL SOFT	158,0	189,6
79415	125/600 R16.5 BM01 MED TL MEDIUM	158,0	189,6
79416	165/625 R17 BM02 SOF TL SOFT	170,0	204,0
79417	165/625 R17 BM02 MED TL MEDIUM	170,0	204,0
Hypersport			
1159	180/55 ZR17 BT012R (73W) TL J HORNET WAR	155,0	186,0
1164	120/70 ZR17 BT012F (58W) TL J HORNET WAR	117,0	140,4
1744	120/70 ZR17 BT-01F (58W) TL D16RR WAR	117,0	140,4
1746	200/55 ZR16 BT-01R (77W) TL D16RR WAR	317,0	380,4
1781	120/70ZR17 BT015F (58W)TL M GSXR1300 WAR	117,0	140,4
1782	190/50ZR17 BT015R (73W)TL M GSXR1300 WAR	163,0	195,6

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
2903	180/55 ZR17 BT003RR (73W) TL RS	169,0	202,8
2947	110/70 ZR17 BT003FR (54W) TL RS	111,0	133,2
2948	120/60 ZR17 BT003FR (55W) TL RS	121,0	145,2
2950	160/60 ZR17 BT003RR (69W) TL RS	165,0	198,0
2951	140/70 ZR17 BT003RR (66W) TL RS	130,0	156,0
4258	120/70 ZR17 BT016FP (58W) TL PRO	81,0	97,2
4259	180/55 ZR17 BT016RP (73W) TL PRO	107,0	128,4
4261	190/50 ZR17 BT016RP (73W) TL PRO	113,0	135,6
4263	190/55 ZR17 BT016RP (75W) TL PRO	115,0	138,0
4534	120/70 ZR17 R10FZ (58W) TL TYPE 3	156,0	187,2
4543	190/55 ZR17 R10RZ (75W) TL TYPE 2	215,0	258,0
4544	190/55 ZR17 R10RZ (75W) TL TYPE 3	215,0	258,0
4550	190/50 ZR17 BT016R (73W) TL BB WAR	163,0	195,6
4572	190/55 ZR17 BT016R (75W) TL CC WAR	167,0	200,4
4576	120/70 ZR17 BT016F (58W) TL CC WAR	117,0	140,4
4590	180/55 ZR17 BT016R (73W) TL G SUZ WAR	146,0	175,2
4592	180/55 ZR17 BT016R (73W) TL AA SUZ WAR	155,0	186,0
4732	180/55 R17 BT016R (73W) TL EE SUZ WAR	155,0	186,0
5027	120/70 ZR17 S20F (58W) TL G HON WAR	112,0	134,4
5028	190/50 ZR17 S20R (73W) TL G HON WAR	157,0	188,4
5072	120/70 ZR17 S20F (58W) TL F SUZ WAR	112,0	134,4
5073	190/50 ZR17 S20R (73W) TL F SUZ WAR	157,0	188,4
5155	120/70 ZR17 S20F (58W) TL E KAW WAR	112,0	134,4
5156	190/50 ZR17 S20R (73W) TL E KAW WAR	157,0	188,4
5161	130/70 ZR16 S20F (61W) TL	115,0	138,0
5162	120/60 ZR17 S20F (55W) TL	97,0	116,4
5164	110/70 ZR17 S20F (54W) TL	93,0	111,6
5165	150/60 ZR17 S20R (66W) TL	119,0	142,8
5166	160/60 ZR17 S20R (69W) TL	130,0	156,0
5167	170/60 ZR17 S20R (72W) TL	144,0	172,8
5169	190/50 ZR17 S20R (73W) TL	166,0	199,2
5171	200/50 ZR17 S20R (75W) TL	169,0	202,8
6161	120/70 R17 S20F (58W) TL J ZX636	112,0	134,4
6162	180/55 ZR17 S20R (73W) TL J ZX636	150,0	180,0
6369	110/70 ZR17 BT016FP (54W) TL PRO	72,0	86,4
6370	110/80 ZR18 BT016FP (58W) TL PRO	89,0	106,8
6371	120/60 ZR17 BT016FP (55W) TL PRO	74,0	88,8
6372	130/70 ZR16 BT016FP (61W) TL PRO	88,0	105,6
6373	150/60 ZR17 BT016RP (66W) TL PRO	91,0	109,2
6374	150/70 ZR18 BT016RP (70W) TL PRO	109,0	130,8
6375	160/60 ZR17 BT016RP (69W) TL PRO	100,0	120,0
6376	160/60 ZR18 BT016RP (70W) TL PRO	111,0	133,2
6377	170/60 ZR17 BT016RP (72W) TL PRO	111,0	133,2
6642	120/70 ZR17 S20F (58W) TL M YAM MT09 WAR	112,0	134,4
6643	180/55 ZR17 S20R (73W) TL M YAM MT09 WAR	150,0	180,0
6824	120/70 ZR17 S20F (58W) TL N KAW WAR	112,0	134,4
6825	190/50 ZR17 S20R (73W) TL N KAW WAR	157,0	188,4
6933	120/70 ZR17 M/C R10FZ (58W) TYPE 2	162,0	194,4
6934	180/55 ZR17 M/C R10RZ EVO (73W) TYPE2	204,0	244,8
7171	120/70 ZR17 S20F EVO (58W) TL	105,0	126,0
7172	180/55 ZR17 S20R EVO (73W) TL	139,0	166,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
7173	190/50 ZR17 S20R EVO (73W) TL	146,0	175,2
7174	190/55 ZR17 S20R EVO (75W) TL	150,0	180,0
7175	200/55 ZR17 S20 EVO (78W) TL	157,0	188,4
7176	110/70 R17 S20F EVO 54H TL	76,0	91,2
7177	140/70 R17 S20R EVO 66H TL	85,0	102,0
7178	150/60 R17 S20R EVO 66H TL	96,0	115,2
7308	180/55 ZR17 R10RZ EVO (73W) TL TYPE 4	204,0	244,8
7897	120/70 ZR17 RS10F (58W) TL	134,0	160,8
7898	190/55 ZR17 RS10R (75W) TL	191,0	229,2
7899	200/55 ZR17 RS10R (78W) TL	197,0	236,4
8039	120/70 ZR17 RS10F (58W) TL G R1'15 WAR	143,0	171,6
8040	190/55 ZR17 RS10R (75W) TL G R1'15 WAR	205,0	246,0
8041	200/55 ZR17 RS10R (78W) TL G R1M'15 WAR	211,0	253,2
8042	120/70 ZR17 RS10F (58W) TL J H2 '15 WAR	143,0	171,6
8043	200/55 ZR17 RS10R (78W) TL J H2 '15 WAR	211,0	253,2
8317	180/55 ZR17 RS10R (73W) TL	181,0	217,2
8437	190/50 ZR17 RS10R (73W) TL	185,0	222,0
8438	110/70 R17 RS10F 54H TL	96,0	115,2
8439	140/70 R17 RS10R 66H TL	108,0	129,6
8440	110/70 ZR17 S21F (54W) TL	93,0	111,6
8441	120/60 ZR17 S21F (55W) TL	97,0	116,4
8442	120/70 ZR17 S21F (58W) TL	105,0	126,0
8443	130/70 ZR16 S21F (61W) TL	115,0	138,0
8444	150/60 ZR17 S21R (66W) TL	119,0	142,8
8445	160/60 ZR17 S21R (69W) TL	130,0	156,0
8446	180/55 ZR17 S21R (73W) TL	139,0	166,8
8447	190/50 ZR17 S21R (73W) TL	146,0	175,2
8448	190/55 ZR17 S21R (75W) TL	150,0	180,0
8449	200/55 ZR17 S21R (78W) TL	157,0	188,4
8909	120/70ZR17 RS10F (58W) TL M RC213V-S WAR	143,0	171,6
8910	190/55ZR17 RS10R (75W) TL M RC213V-S WAR	205,0	246,0
8911	120/70 ZR17 RS10F (58W) TL L ZX-10R WAR	143,0	171,6
8912	190/55 ZR17 RS10R (75W) TL L ZX-10R WAR	205,0	246,0
9007	150/60 R17 RS10R 66H TL	123,0	147,6
9335	120/70 ZR17 S20F (58W) TL W MT10 WAR	112,0	134,4
9336	190/55 ZR17 S20R (75W) TL W MT10 WAR	150,0	180,0
9341	120/70 ZR17 RS10F (58W) TL E GSXR WAR	143,0	171,6
9342	190/55 ZR17 RS10R (75W) TL E GSXR WAR	205,0	246,0
10260	120/70 ZR17 S21F (58W) TL G GSX-S750 WAR	136,0	163,2
10261	180/55 ZR17 S21R (73W) TL G GSX-S750 WAR	181,0	217,2
10264	120/70 ZR17 S21F (58W) TL E CBR1000R WAR	136,0	163,2
10265	190/50 ZR17 S21R (73W) TL E CBR1000R WAR	189,0	226,8
10266	120/70ZR17 RS10F (58W) TL N CBR1000RR SP	143,0	171,6
10267	190/50ZR17 RS10R (73W) TL N CBR1000RR SP	201,0	241,2
10274	120/70 ZR17 S21F (58W) TL J R6 WAR	136,0	163,2
10275	180/55 ZR17 S21R (73W) TL J R6 WAR	181,0	217,2
10526	110/70 R17 R11F 54H MED TL	143,0	171,6
10527	120/70 R17 R11F 58V TL SOFT	162,0	194,4
10528	120/70 R17 R11F 58V TL MED	162,0	194,4
10529	140/70 R17 R11R 66H MED TL	181,0	217,2
10530	150/60 R17 R11R 66H MED TL	185,0	222,0

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
10531	160/60 R17 R11R 69V TL MED	197,0	236,4
10532	180/55 R17 R11R 73V TL MED	210,0	252,0
10533	190/55 R17 R11R 75V TL SOFT	217,0	260,4
10534	190/55 R17 R11R 75V TL MED	217,0	260,4
10535	200/55 R17 R11R 78V TL SOFT	237,0	284,4
10536	200/55 R17 R11R 78V TL MED	237,0	284,4
11154	200/55 ZR17 RS10R (78W) TL L H2 '17 WAR	211,0	253,2
13518	120/70 ZR17 S21F (58W) TL M CB1000R WAR	136,0	163,2
13519	190/55 ZR17 S21R (75W) TL M CB1000R WAR	193,0	231,6
13526	120/70 ZR17 S21F (58W) TL F H2 LOW WAR	136,0	163,2
13527	190/55 ZR17 S21R (75W) TL F H2 LOW WAR	193,0	231,6
13528	110/70 R17 S20F 54H TL CANCELED WAR	81,0	97,2
13529	140/70 R17 S20R 66H TL CANCELED WAR	90,0	108,0
13536	120/70 ZR17 S21F 58W TL CANCELED WAR	136,0	163,2
13537	180/55 ZR17 S21R 75W TL CANCELED WAR	181,0	217,2
13713	120/70 ZR17 RS10F (58W) TL G R1 '18 WAR	143,0	171,6
13714	190/55 ZR17 RS10R (75W) TL G R1 '18 WAR	205,0	246,0
16611	120/70 ZR17 S22F (58W) TL	127,0	152,4
16612	160/60 ZR17 S22R (69W) TL	158,0	189,6
16613	180/55 ZR17 S22R (73W) TL	169,0	202,8
16614	190/50 ZR17 S22R (73W) TL	177,0	212,4
16615	190/55 ZR17 S22R (75W) TL	181,0	217,2
16616	200/55 ZR17 S22R (78W) TL	190,0	228,0
17414	110/70 R17 S22F 54H TL	76,0	91,2
17415	140/70 R17 S22R 66H TL	85,0	102,0
17416	150/60 R17 S22R 66H TL	96,0	115,2
17417	180/60 ZR17 S22R (75W) TL	172,0	206,4
17422	120/70 ZR17 RS11F (58W) TL	150,0	180,0
17423	190/55 ZR17 RS11R (75W) TL	216,0	259,2
17424	200/55 ZR17 RS11R (78W) TL	219,0	262,8
18350	200/55 ZR17 RS10R (78W) G TL R1M '19 WAR	211,0	253,2
18351	120/70 ZR17 RS11F (58W) TL E GSXR'19 WAR	150,0	180,0
18352	190/55 ZR17 RS11R (75W) TL E GSXR'19 WAR	216,0	259,2
18353	120/70 ZR17 S22F (58W) N TL ZX6R '19 WAR	134,0	160,8
18354	180/55 ZR17 S22R (73W) N TL X6R '19 WAR	178,0	213,6
18355	120/70 ZR17 RS11F (58W) TL J H2 '19 WAR	150,0	180,0
18356	200/55 ZR17 RS11R (78W) TL J H2 '19 WAR	216,0	259,2
18384	120/70 ZR17 S21F (58W) TL U S1000RR WAR	136,0	163,2
18385	190/55 ZR17 S21R (75W) TL U S1000RR WAR	193,0	231,6
18590	200/55 R17 R11R 78V S0F TL SOFT' 19	237,0	284,4
18591	190/55 R17 R11R 75V S0F TL SOFT' 19	217,0	260,4
19641	120/70 ZR17 RS11F (58W) TL WAR	150,0	180,0
19642	190/55 ZR17 RS11R (75W) TL G WAR	216,0	259,2
19643	200/55 ZR17 RS11R (78W) TL G WAR	221,0	265,2
19654	200/55 ZR17 S22R (78W) TL SDR KTM WAR	200,0	240,0
20244	120/70 ZR17 S22F (58W) TL G NIN1K'20 WAR	134,0	160,8
20245	190/50 ZR17 S22R (73W) TL G NIN1K'20 WAR	186,0	223,2
21613	120/70 ZR17 RS11F (58W) TL CBR1K'20 WAR	150,0	180,0
21641	200/55ZR17 RS11R (78W) TL N CBR1K'20 WAR	221,0	265,2
23298	180/55 ZR17 S21R (73W) TL U F900R WAR	181,0	217,2
23651	120/70 ZR17 S22F (58W) TL J BMW S1000R'21 WAR	134,0	160,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
24737	160/60 R17 R11R 69V MED TL	197,0	236,4
24738	180/55 R17 R11R 73V MED TL	210,0	252,0
25809	120/70 ZR17 RS11F (58W) TL L ZX-10R WAR	150,0	180,0
25810	190/55 ZR17 RS11R (75W) TL L ZX-10R WAR	216,0	259,2
25811	120/70 ZR17 S22F (58W) TL M MT09 '21 WAR	134,0	160,8
25812	180/55 ZR17 S22R (73W) TL M MT09 '21 WAR	178,0	213,6
25813	120/70 ZR17 S22F (58W) TL L HAYABUSA WAR	134,0	160,8
25814	190/50 ZR17 S22R (73W) TL L HAYABUSA WAR	186,0	223,2
25817	120/70 ZR17 S22F (58W) TL E YAM SPP WAR	134,0	160,8
25818	180/55 ZR17 S22R (73W) TL E YAM SPP WAR	178,0	213,6
25953	190/55 ZR17 S22R (75W) TL J K63 WAR	190,0	228,0
49777	120/70 R17 BT92F 58H TL	100,0	120,0
49780	140/60 R17 BT92R 63H TL	106,0	127,2
49781	150/60 R17 BT92R 66H TL	113,0	135,6
49783	140/60 R18 BT92R 64H TL	109,0	130,8
49927	140/60 ZR18 BT50R (64W) TL	114,0	136,8
76262	190/50 ZR17 BT56R (73W) TL J	163,0	195,6
76268	120/60 R17 BT92F 55H TL	93,0	111,6
76344	120/60 ZR17 BT56F (55W) TL J GSF600N	108,0	129,6
76345	160/60 ZR17 BT56R (69W) TL J GSF600N	145,0	174,0
76346	120/60 ZR17 BT56F (55W) TL F GSF600S	108,0	129,6
76347	160/60 ZR17 BT56R (69W) TL F GSF600S	145,0	174,0
77012	110/70 R17 BT090F 54H TL	89,0	106,8
77013	120/60 R17 BT090F 55H TL	93,0	111,6
77014	120/70 R17 BT090F 58H TL	100,0	120,0
77015	140/70 R17 BT090RP 66H TL PRO	117,0	140,4
77016	150/60 R17 BT090RP 66H TL PRO	121,0	145,2
77017	160/60 R17 BT090RP 69H TL PRO	133,0	159,6
77018	150/60 R18 BT090RP 67H TL PRO	119,0	142,8
78305	120/60 ZR17 BT014F (55W) TL	74,0	88,8
78306	120/70 ZR17 BT014F (58W) TL	76,0	91,2
78312	200/50 ZR17 BT014R (75W) TL	169,0	202,8
78365	160/60 ZR17 BT57R (69W) TL E HONDA WAR	145,0	174,0
78809	120/65 ZR17 BT014F (56W) TL J WAR	142,0	170,4
79262	180/55 ZR17 BT014R (73W) TL N WAR	104,0	124,8
79419	120/70 ZR17 BT014F (58W) TL SL KAW WAR	120,0	144,0
79420	190/50 ZR17 BT014R (73W) TL L KAW WAR	166,0	199,2
Offroad			
1308	70/100 -10 M404 38M TT	33,0	39,6
49640	2.50 -10 M29 33J 4 TT	23,0	27,6
76263	2.50 -10 M40 33J TT	25,0	30,0
1302	60/100 -12 M403 33M TT	34,0	40,8
2161	80/100 -12 M204 41M TT	37,0	44,4
1303	60/100 -14 M403 30M TT	38,0	45,6
1310	90/100 -14 M404 49M TT	44,0	52,8
2155	60/100 -14 M203 30M TT	38,0	45,6
2160	90/100 -14 M204 49M TT	44,0	52,8
1311	90/100 -16 M404 52M TT	49,0	58,8
2162	90/100 -16 M204 52M TT	49,0	58,8
9793	90/100 -16 X30R 52M TT	50,0	60,0
18841	90/100 -16 X20R 51M TT	50,0	60,0

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
1304	70/100 -17 M403 40M TT	37,0	44,4
2156	70/100 -17 M203 40M TT	37,0	44,4
73437	110/100 -17 ED12 63M TT	57,0	68,4
1314	100/100 -18 M404 59M TT	61,0	73,2
2163	100/100 -18 M204 59M TT	61,0	73,2
2164	110/100 -18 M204 64M TT	65,0	78,0
2168	100/100 -18 M604 59M TT	61,0	73,2
5160	120/90 -18 ED04 65P TT E YAM WAR	62,0	74,4
7186	110/100 -18 X30R 64M NHS TT	66,0	79,2
7189	110/100 -18 X40R 64M NHS TT	66,0	79,2
7909	110/100 -18 X20R 64M TT NHS	66,0	79,2
9794	100/100 -18 X30R 59M TT	62,0	74,4
17418	140/80 -18 E50 R EXTREME 70M TT NHS	99,0	118,8
19883	120/90 -18 E50R 65P TT MST	78,0	93,6
19884	140/80 -18 E50R 70P TT MST	83,0	99,6
28194	110/100-18 X31R 64M TT NHS	66,0	79,2
74154	120/90 -18 ED12 65M TT	65,0	78,0
77911	120/100 -18 ED78 68M TT	70,0	84,0
78530	120/90 -18 ED668 65R TT CRF250X	66,0	79,2
78531	140/80 -18 ED668 70R TT CFR450X WAR	74,0	88,8
79408	110/100 -18 M102 64M TT	65,0	78,0
1305	70/100 -19 M403 42M TT	42,0	50,4
1312	100/90 -19 M404 57M TT	65,0	78,0
2154	120/80 -19 M204 63M TT	82,0	98,4
2157	70/100 -19 M203 42M TT	42,0	50,4
2165	100/90 -19 M204 57M TT	65,0	78,0
2166	120/80 -19 M604 63M TT	82,0	98,4
2170	110/80 -19 M604 59M TT	69,0	82,8
2177	110/90 -19 M204 62M TT	69,0	82,8
2179	100/90 -19 M604 57M TT	65,0	78,0
7184	110/90 -19 X30R 62M NHS TT	70,0	84,0
7185	120/80 -19 X30R 63M NHS TT	83,0	99,6
7187	100/90 -19 X30R 57M NHS TT	66,0	79,2
7190	100/90 -19 X40R 57M NHS TT	66,0	79,2
7191	110/90 -19 X40R 62M NHS TT	70,0	84,0
7908	100/90 -19 X20R 57M TT NHS	66,0	79,2
7910	110/90 -19 X20R 62M TT NHS	70,0	84,0
9788	100/90 -19 X10R 57M TT	66,0	79,2
9789	110/90 -19 X10R 62M TT	70,0	84,0
9791	120/80 -19 X20R 63M TT	83,0	99,6
9792	70/100 -19 X30F 42M TT	43,0	51,6
9796	120/80 -19 X40R 63M TT	83,0	99,6
18840	70/100 -19 X20F 42M NHS TT	43,0	51,6
28195	100/90-19 X31R 57M TT NHS	66,0	79,2
28196	110/90-19 X31R 62M TT NHS	70,0	84,0
28197	120/80-19 X31R 63M TT NHS	83,0	99,6
79203	110/90 -19 M102 62M TT	69,0	82,8
79205	100/90 -19 M102 57M TT	65,0	78,0
2158	80/100 -21 M203 51M TT	52,0	62,4
2159	90/100 -21 M203 57M TT	53,0	63,6
2167	90/100 -21 M603 57M TT	53,0	63,6

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
2178	80/100 -21 M603 51M TT	52,0	62,4
5159	80/100 -21 ED03 51P TT E YAM WAR	55,0	66,0
7182	80/100 -21 X30F 51M NHS TT	52,0	62,4
7183	90/100 -21 X30F 57M NHS TT	54,0	64,8
7188	80/100 -21 X40F 51M NHS TT	52,0	62,4
7907	80/100 -21 X20F 51M TT NHS	52,0	62,4
9787	80/100 -21 X10F 51M TT	52,0	62,4
9790	90/100 -21 X20F 57M TT	54,0	64,8
9795	90/100 -21 X40F 57M TT	54,0	64,8
19882	90/90 -21 E50F 54P TT MST	59,0	70,8
28192	80/100-21 X31F 51M TT NHS	52,0	62,4
28193	90/100-21 X31F 57M TT NHS	54,0	64,8
72843	80/100 -21 ED11 51M TT	57,0	68,4
76099	80/100 -21 M59 51M TT	52,0	62,4
77910	80/100 -21 ED77 51M TT	57,0	68,4
78529	90/90 -21 ED663 54R TT WAR	55,0	66,0
79204	80/100 -21 M101 51M TT	52,0	62,4
Scooter radial			
70040	4.00 -8 SS 55J 4 TT	39,0	46,8
72448	3.50 -8 TW2 35J 2 TT	35,0	42,0
8474	120/90 -10 SC R 66J TL	43,0	51,6
8478	90/90 -10 B01 50J TL	31,0	37,2
8479	100/90 -10 B01 56J TL	33,0	39,6
8481	100/90 -10 B01 61J RFD TL LU	34,0	40,8
8482	110/90 -10 B01 51J TL	38,0	45,6
8484	100/80 -10 B01 53J TL	31,0	37,2
8485	80/100 -10 B01 46J TL	40,0	48,0
8486	120/90 -10 B01 66J TL	43,0	51,6
8487	130/90 -10 B01 61J TL	41,0	49,2
15986	120/90 -10 ML50 57J TL	37,0	44,4
49341	5.4 -10 JG 48F 8 TT	89,0	106,8
72466	3.50 -10 TW3 51J 4 TT	43,0	51,6
72470	120/90 -10 TW37 57J S1T TL	37,0	44,4
72472	130/90 -10 TW38 61J S1T TL	41,0	49,2
74551	3.50 -10 B01 51J TL	32,0	38,4
74832	3.50 -10 B01 59J RFD TL	34,0	40,8
74833	100/90 -10 B01 61J RFD TL	34,0	40,8
76016	100/80 -10 B01 53J TL	33,0	39,6
76017	100/80 -10 ML50 53J TL	31,0	37,2
76018	130/70 -10 ML50 52J TL	39,0	46,8
76022	110/80 -10 ML50 58J TL	33,0	39,6
76025	90/90 -10 ML50 50J TL	31,0	37,2
76026	120/90 -10 ML50 57J TL	37,0	44,4
76027	100/90 -10 ML50 61J RFD TL	37,0	44,4
76028	130/90 -10 ML50 61J TL	41,0	49,2
76115	3.50 -10 BT39SSM 51J YCX TL QW 39SSMINI	32,0	38,4
76116	3.00 -10 BT39SSM 42J YCX TL QW 39SSMINI	32,0	38,4
76301	3.50 -10 BT39SSM 51J YCY TL QW 39SSMINI	32,0	38,4
77950	120/90 -10 ML16 66J TL	52,0	62,4
78548	90/90 -10 B01 50J TL	31,0	37,2
8029	120/70 -12 SC F 51S TL	43,0	51,6

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
8470	110/70 -12 SC F 47L TL	37,0	44,4
8471	110/90 -12 SC F 64L TL	45,0	54,0
8472	110/100 -12 SC F 67J TL	46,0	55,2
8473	120/70 -12 SC R 51L TL	43,0	51,6
8475	130/70 -12 SC R 56L TL	41,0	49,2
8476	130/70 -12 SC R 62P TL	49,0	58,8
8477	140/70 -12 SC R 65L TL	72,0	86,4
8480	90/90 -12 B01 44J TL	41,0	49,2
8483	120/80 -12 B01 55J TL	41,0	49,2
8488	100/80 -12 B01 56J TL LU	43,0	51,6
8489	120/80 -12 B01 65J TL	43,0	51,6
8893	100/90 -12 BT601 W 49J NEK TL	91,0	109,2
8894	120/80 -12 BT601 W 55J NEK TL	103,0	123,6
15987	120/80 -12 ML50 55J S1T TL SUZUKI	43,0	51,6
49461	110/100 -12 ML17 67J TL	63,0	75,6
70921	6.7 -12 RE 55F 4 TT	117,0	140,4
76005	110/80 -12 ML50 51J TL SUZUKI	43,0	51,6
76006	120/80 -12 ML50 54J TL SUZUKI	43,0	51,6
76007	130/70 -12 B02 62L TL	49,0	58,8
76023	140/70 -12 ML50 60L TL	52,0	62,4
76032	120/70 -12 BT30 51J TL MBK	43,0	51,6
76033	130/70 -12 BT30 56J TL MBK	51,0	61,2
76168	130/70 -12 B02 56L TL	41,0	49,2
76170	130/70 -12 ML50 49L TL	48,0	57,6
76171	120/70 -12 B02 51L TL	43,0	51,6
76307	140/70 -12 B02 65L S1R TL	72,0	86,4
76308	110/90 -12 B03 64L TL	45,0	54,0
76463	90/90 -12 B01 44J TL	41,0	49,2
76464	100/80 -12 B01 56J TL	43,0	51,6
76915	120/70 -12 ML50 51L TL	43,0	51,6
76916	130/70 -12 ML50 56L TL	41,0	49,2
78693	130/70 -12 B02PRO 62L RFD TL	49,0	58,8
78694	110/90 -12 B03PRO 64L TL	45,0	54,0
79013	100/90 -12 BT601FS 49J YCX TL QW FRONT	91,0	109,2
79014	100/90 -12 BT601FS 49J YCY TL QW FRONT	91,0	109,2
79016	120/80 -12 BT601RS 55J YCY TL QW REAR	103,0	123,6
79064	130/70 -12 B02 62P RFD TL FORZA'05	49,0	58,8
1258	150/70 -13 B02 64S TL G BURGMAN WAR	61,0	73,2
3251	150/70 -13 B02 64S TL F SILVER W WAR	61,0	73,2
3367	110/90 -13 B03 55P TL E FORZA WAR	50,0	60,0
3368	140/70 -13 B02 61P TL E FORZA WAR	60,0	72,0
7201	110/90 -13 SC F 55P TL	50,0	60,0
7202	110/90 -13 SC F 56L TL	50,0	60,0
7204	140/70 -13 SC R 61P TL	60,0	72,0
7205	120/70 -13 SC F 53P TL	43,0	51,6
7208	130/70 -13 SC R 57P TL	58,0	69,6
7209	130/70 -13 SC R 63P RFD TL	49,0	58,8
7211	150/70 -13 SC R 64S TL	61,0	73,2
17425	110/70 -13 SC F 48P TL	39,0	46,8
76031	140/60 -13 ML50 57L TL	52,0	62,4
76172	130/60 -13 B02 53L TL	50,0	60,0

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
76173	130/60 -13 ML50 53L TL	50,0	60,0
76247	110/90 -13 B03 55P TL	54,0	64,8
76248	130/70 -13 B02 63P RFD TL	49,0	58,8
76306	120/70 -13 B03 53L TL	48,0	57,6
76806	150/70 -13 B02 64S TL SILVERW	61,0	73,2
78691	110/90 -13 B03PRO 55P TL	54,0	64,8
78692	130/70 -13 B02PRO 57P TL	58,0	69,6
78695	150/70 -13 B02PRO 64S TL	61,0	73,2
79063	110/90 -13 B03 55P TL F FORZA'05 WAR	50,0	60,0
1257	120/80 -14 B03 58S TL G BURGMAN WAR	58,0	69,6
2694	160/60 R14 TH01R 65H TL M BURGMAN WAR	119,0	142,8
5256	120/70 R14 SC1F 55H TL	99,0	118,8
5257	160/60 R14 SC1R 65H TL	119,0	142,8
7181	160/60 R14 SC ECO 65H TL	123,0	147,6
7200	90/90 -14 SC F 46P TL	42,0	50,4
7203	100/90 -14 SC R 57P RFD TL	46,0	55,2
7210	120/80 -14 SC F 58S TL	58,0	69,6
7782	140/70 -14 SC R 68S RFD TL	67,0	80,4
8030	80/90 -14 SC F 40P TL	40,0	48,0
8031	90/90 -14 SC R 46P TL	42,0	50,4
8032	70/90 -14 SC F 34P TL	31,0	37,2
8033	80/90 -14 SC R 40P TL	40,0	48,0
8034	90/80 -14 SC F 49P TL	26,0	31,2
8035	90/80 -14 SC R 49P TL	26,0	31,2
8038	110/80 -14 SC R 53P TL	32,0	38,4
10589	120/70 R14 SC2F 55H TL	99,0	118,8
10591	160/60 R14 SC2R 65H TL	119,0	142,8
10594	160/60 R14 SC2RR 65H TL RAIN	119,0	142,8
17426	100/80 -14 SC F 48P TL	39,0	46,8
17427	120/70 -14 SC R 55P TL	49,0	58,8
23265	120/70 -14 SC F 55P TL M TRICITY'20 WAR	51,0	61,2
23266	140/70 -14 SC R 62P TL M TRICITY'20 WAR	71,0	85,2
24734	120/70 -14 SC R 61P TL	49,0	58,8
70261	5.4 -14 RE 44F 4 TT	117,0	140,4
76805	120/80 -14 B03 58S TL SILVERW	58,0	69,6
76833	120/70 -14 B03 55S TL XP500	50,0	60,0
76834	150/70 -14 B02 66S TL XP500	67,0	80,4
78696	150/70 -14 B02PRO 66S TL	67,0	80,4
78697	120/70 -14 B03PRO 55S TL	54,0	64,8
78698	120/80 -14 B03PRO 58S TL	58,0	69,6
1830	120/70 R15 BT011F 56H TL E T-MAX WAR	103,0	123,6
1831	160/60 R15 BT012R 67H TL E T-MAX WAR	130,0	156,0
5254	120/70 R15 SC1F 56H TL	103,0	123,6
5255	160/60 R15 SC1R 67H TL	126,0	151,2
7179	120/70 R15 SC ECO 56H TL	106,0	127,2
7180	160/60 R15 SC ECO 67H TL	130,0	156,0
7488	120/70 -15 SC F 56S TL	52,0	62,4
10276	120/70 R15 SC F 56H TL E T-MAX WAR	110,0	132,0
10277	160/60 R15 SC R 67H TL E T-MAX WAR	134,0	160,8
10590	120/70 R15 SC2F 56H TL	103,0	123,6
10592	160/60 R15 SC2R 67H TL	126,0	151,2

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
10593	120/70 R15 SC2FR 56H TL RAIN	103,0	123,6
10595	160/60 R15 SC2RR 67H TL RAIN	126,0	151,2
77311	120/70 R15 TH01F 56H TL BURGMAN	103,0	123,6
1344	110/70 -16 B03 52P TL G SH 300 WAR	56,0	67,2
1346	130/70 -16 B02 61P TL G SH 300 WAR	63,0	75,6
3966	130/70R16 BT012R 61S TL G SH300I HON WAR	92,0	110,4
5258	130/70 R16 SC1R 61S TL	119,0	142,8
8027	100/80 -16 SC F 50P TL	45,0	54,0
8028	120/80 -16 SC R 60P TL	52,0	62,4
10596	130/70 R16 SC2RR 61S TL RAIN	119,0	142,8
10597	110/70 -16 SC F 52S TL	86,0	103,2
Scooter diagonal			
1309	80/100 -12 M404 41M TT	37,0	44,4
3964	110/70 -16 BT45F 52S TL G SH300IHO WAR	92,0	110,4
76366	2.75 -10 M40 38J TT	27,0	32,4
Sport Touring radial			
23547	160/60 R15 T31R 67H TL J INTEGRA WAR	132,0	158,4
78317	150/80 R16 BT020F 71V TL VN2000 WAR	166,0	199,2
1189	120/60 ZR17 BT021F (55W) TL	82,0	98,4
1193	150/70 ZR17 BT021R (69W) TL	104,0	124,8
1194	160/60 ZR17 BT021R (69W) TL	112,0	134,4
1196	170/60 ZR17 BT021R (72W) TL	117,0	140,4
1197	180/55 ZR17 BT021R (73W) TL	119,0	142,8
1198	190/50 ZR17 BT021R (73W) TL	124,0	148,8
1514	160/60 ZR17 BT020R (69W) TL G GSF650 WAR	153,0	183,6
1943	190/60 ZR17 BT020R (78W) TL HON/X-4	203,0	243,6
2273	120/70 ZR17 BT021F (58W) TL	87,0	104,4
2660	130/70 ZR17 BT021F (62W) TL G DN-01 WAR	133,0	159,6
2661	190/50 ZR17 BT021R (73W) TL G DN-01 WAR	156,0	187,2
2761	160/60ZR17 BT021R(69W) TL J KAW ER6F WAR	112,0	134,4
2910	120/60 ZR17 BT021F (55W) TL	82,0	98,4
2911	110/70 ZR17 BT021F (54W) TL	76,0	91,2
3306	120/70 ZR17 BT021F (58W) TL N HON WAR	111,0	133,2
3308	190/55 ZR17 BT021R (75W) TL N HON WAR	159,0	190,8
3310	160/60 ZR17 BT021R (69W) TL W HON WAR	143,0	171,6
3430	110/70 ZR17 BT023F (54W) TL	74,0	88,8
3431	120/60 ZR17 BT023F (55W) TL	81,0	97,2
3432	120/70 ZR17 BT023F (58W) TL	85,0	102,0
3435	150/70 ZR17 BT023R (69W) TL	102,0	122,4
3436	160/60 ZR17 BT023R (69W) TL	110,0	132,0
3437	160/70 ZR17 BT023R (73W) TL	111,0	133,2
3438	170/60 ZR17 BT023R (72W) TL	115,0	138,0
3439	180/55 ZR17 BT023R (73W) TL	116,0	139,2
3440	190/50 ZR17 BT023R (73W) TL	122,0	146,4
3516	120/70 ZR17 BT023F (58W) TL GT	85,0	102,0
3517	180/55 ZR17 BT023R (73W) TL GT	116,0	139,2
3605	120/70ZR17 BT021F (58W)TL U GTR1400 WAR	111,0	133,2
3606	190/50ZR17 BT021R (73W)TL U GTR1400 WAR	156,0	187,2
3869	120/70 ZR17 BT021F (58W) TL AA SUZ WAR	111,0	133,2
3870	180/55 ZR17 BT021R (73W) TL AA SUZ WAR	149,0	178,8
3913	120/70 ZR17 BT021F(58W)TL BB YAM FZ8 WAR	111,0	133,2

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
4169	120/70 ZR17 BT022F (58W) TL F BMW WAR	120,0	144,0
4171	190/55 ZR17 BT021R (75W) TL F BMW WAR	159,0	190,8
4872	190/55 ZR17 BT023R (75W) TL GT	124,0	148,8
4873	170/60 ZR17 BT023R (72W) TL GT	115,0	138,0
5029	120/70 ZR17 BT023F (58W) TL G HON WAR	109,0	130,8
5030	160/60 ZR17 BT023R (69W) TL G HON WAR	139,0	166,8
5157	120/70 ZR17 BT023F (58W) TL E YAM WAR	109,0	130,8
5158	180/55 ZR17 BT023R (73W) TL E WAR	146,0	175,2
6254	110/70 ZR17 T30F (54W) TL	102,0	122,4
6259	120/60 ZR17 T30F (55W) TL	111,0	133,2
6261	120/70 ZR17 T30F (58W) TL	118,0	141,6
6263	120/70 ZR17 T30F (58W) TL GT	118,0	141,6
6267	160/60 ZR17 T30R (69W) TL	152,0	182,4
6271	170/60 ZR17 T30R (72W) TL	159,0	190,8
6272	170/60 ZR17 T30R (72W) TL GT	159,0	190,8
6273	180/55 ZR17 T30R (73W) TL	160,0	192,0
6274	180/55 ZR17 T30R (73W) TL GT	168,0	201,6
6275	190/50 ZR17 T30R (73W) TL	160,0	192,0
6276	190/55 ZR17 T30R (75W) TL	170,0	204,0
6277	190/55 ZR17 T30R (75W) TL GT	170,0	204,0
6416	120/70 ZR17 BT023F (58W) TL F WAR	109,0	130,8
6417	180/55 ZR17 BT023R (73W) TL F WAR	146,0	175,2
7324	180/55 ZR17 BT023R (73W) TL M YAM MF07 W	146,0	175,2
7410	120/70 ZR17 T30F (58W) TL G VFR800 WAR	131,0	157,2
7411	180/55 ZR17 T30R (73W) TL G VFR800 WAR	176,0	211,2
7894	120/70 ZR17 T30 EVO (58W) TL	103,0	123,6
7895	160/60 ZR17 T30 EVO (69W) TL	132,0	158,4
7896	180/55 ZR17 T30 EVO (73W) TL	139,0	166,8
8450	110/70 ZR17 T30 EVO (54W) TL	89,0	106,8
8451	120/60 ZR17 T30 EVO (55W) TL	96,0	115,2
8452	120/70 ZR17 T30 EVO (58W) TL GT	103,0	123,6
8457	150/70 ZR17 T30 EVO (69W) TL	123,0	147,6
8459	160/70 ZR17 T30 EVO (73W) TL	132,0	158,4
8460	170/60 ZR17 T30 EVO (72W) TL	138,0	165,6
8461	170/60 ZR17 T30 EVO (72W) TL GT	138,0	165,6
8462	180/55 ZR17 T30 EVO (73W) TL GT	139,0	166,8
8463	190/50 ZR17 T30 EVO (73W) TL	146,0	175,2
8464	190/55 ZR17 T30 EVO (75W) TL	149,0	178,8
8465	190/55 ZR17 T30 EVO (75W) TL GT	149,0	178,8
9333	120/70 ZR17 T30F (58W) TL E NC750S WAR	131,0	157,2
9334	160/60 ZR17 T30R (69W) TL E NC750S WAR	167,0	200,4
10272	120/70 ZR17 T30F (58W) TL J CB11/1300 WAR	131,0	157,2
10273	180/55 ZR17 T30R (73W) TL J HONDA WAR	176,0	211,2
10537	110/70 ZR17 T31F (54W) TL	89,0	106,8
10538	120/60 ZR17 T31F (55W) TL	96,0	115,2
10539	120/70 ZR17 T31F (58W) TL	103,0	123,6
10544	150/70 ZR17 T31R (69W) TL	123,0	147,6
10545	160/60 ZR17 T31R (69W) TL	132,0	158,4
10547	160/70 ZR17 T31R (73W) TL	132,0	158,4
10548	170/60 ZR17 T31R (72W) TL	138,0	165,6
10549	180/55 ZR17 T31R (73W) TL	139,0	166,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
10550	190/50 ZR17 T31R (73W) TL	146,0	175,2
10551	190/55 ZR17 T31R (75W) TL	149,0	178,8
10554	120/70 ZR17 T31F (58W) TL GT	103,0	123,6
10556	170/60 ZR17 T31R (72W) TL GT	138,0	165,6
10557	180/55 ZR17 T31R (73W) TL GT	139,0	166,8
10558	190/55 ZR17 T31R (75W) TL GT	149,0	178,8
13522	120/70 ZR17 T30F (58W) TL J CB1300SF WAR	130,0	156,0
13523	180/55 ZR17 T30R (73W) TL E CB1300SF WAR	176,0	211,2
13534	120/70 ZR17 T30F (58W) TL L K1600GTL WAR	131,0	157,2
13535	190/55 ZR17 T30R (75W) TL L K1600GTL WAR	181,0	217,2
18007	120/70 ZR17 T31F (58W) TL G VERSYS WAR	128,0	153,6
18008	180/55 ZR17 T31R (73W) TL G VERSYS WAR	173,0	207,6
19376	190/55 R17 T31R (75W) TL E S1KXR BMW WAR	184,0	220,8
19377	120/70 R17 T31F (58W) TL E S1KXR BMW WAR	128,0	153,6
19618	110/70 ZR17 T32F (54W) TL	106,0	127,2
19619	120/60 ZR17 T32F (55W) TL	114,0	136,8
19620	120/70 ZR17 T32F (58W) TL	122,0	146,4
19625	150/70 ZR17 T32R (69W) TL	146,0	175,2
19626	160/60 ZR17 T32R (69W) TL	157,0	188,4
19627	160/70 ZR17 T32R (73W) TL	157,0	188,4
19628	170/60 ZR17 T32R (72W) TL	164,0	196,8
19629	180/55 ZR17 T32R (73W) TL	165,0	198,0
19630	190/50 ZR17 T32R (73W) TL	174,0	208,8
19631	190/55 ZR17 T32R (75W) TL	176,0	211,2
19632	120/70 ZR17 T32F (58W) TL GT	122,0	146,4
19634	170/60 ZR17 T32R (72W) TL GT	164,0	196,8
19635	180/55 ZR17 T32R (73W) TL GT	165,0	198,0
19636	190/55 ZR17 T32R (75W) TL GT	176,0	211,2
23546	120/70 R17 T31F 58H TL J INTEGRA WAR	108,0	129,6
25815	120/70 ZR17 T32F (58W) TL J TRACR900 WAR	128,0	153,6
25816	180/55 ZR17 T32R (73W) TL J TRACR900 WAR	173,0	207,6
76084	130/80 R17 BT54R 65H TL UM	126,0	151,2
76312	120/60 ZR17 BT020F (55W) TL	82,0	98,4
77267	120/70 ZR17 BT020F (58W) TL AA ZZR1200	120,0	144,0
77268	180/55 ZR17 BT020R (73W) TL AA	162,0	194,4
77289	170/60 ZR17 BT020R (72W) TL F ST1300	161,0	193,2
77342	120/70 ZR17 BT020F (58W) TL CC	120,0	144,0
77541	110/70 ZR17 BT020F (54W) TL	76,0	91,2
77663	200/50 ZR17 BT020R (75W) TL G YAM1670	218,0	261,6
77921	120/70 ZR17 BT020F (58W) TL GG WAR	120,0	144,0
77922	180/55 ZR17 BT020R(73W) TL GG FZS600 WAR	162,0	194,4
79026	120/70ZR17 BT020F(58W) TL UU K1200GT WAR	120,0	144,0
1192	120/70 ZR18 BT021F (59W) TL	131,0	157,2
1199	160/60 ZR18 BT021R (70W) TL	115,0	138,0
3433	110/80 ZR18 BT023F (58W) TL	85,0	102,0
3434	120/70 ZR18 BT023F (59W) TL	94,0	112,8
3441	160/60 ZR18 BT023R (70W) TL	113,0	135,6
4874	120/70 ZR18 BT023F (59W) TL GT	94,0	112,8
6256	110/80 ZR18 T30F (58W) TL	116,0	139,2
6262	120/70 ZR18 T30F (59W) TL	129,0	154,8
6264	120/70 ZR18 T30F (59W) TL GT	129,0	154,8

Rehvi mõõt ja muster		Hind km.-ta	Hind km.-ga
6269	160/60 ZR18 T30R (70W) TL	155,0	186,0
6367	110/80 R18 M/C BT54F 58V G CB1100 2013	113,0	135,6
6368	140/70 R18 M/C BT54R 67V G CB1100 2013	148,0	177,6
8453	110/80 ZR18 T30 EVO (58W) TL	101,0	121,2
8454	120/70 ZR18 T30 EVO (59W) TL GT	112,0	134,4
8455	120/70 ZR18 T30 EVO (59W) TL	112,0	134,4
8458	160/60 ZR18 T30 EVO (70W) TL	135,0	162,0
8466	110/80 R18 T30 EVO 58V TL	98,0	117,6
8467	140/70 R18 T30 EVO 67V TL	117,0	140,4
10540	110/80 ZR18 T31F (58W) TL	101,0	121,2
10541	120/70 ZR18 T31F (59W) TL	112,0	134,4
10546	160/60 ZR18 T31R (70W) TL	135,0	162,0
10552	110/80 R18 T31F 58V TL	98,0	117,6
10553	140/70 R18 T31R 67V TL	117,0	140,4
10555	120/70 ZR18 T31F (59W) TL GT	112,0	134,4
19621	110/80 ZR18 T32F (58W) TL	117,0	140,4
19622	120/70 ZR18 T32F (59W) TL	134,0	160,8
19633	120/70 ZR18 T32F (59W) TL GT	134,0	160,8
19637	160/60 ZR18 T32R (70W) TL	161,0	193,2
19638	110/80 R18 T32F 58V TL	117,0	140,4
19639	140/70 R18 T32R 67V TL	139,0	166,8
49941	170/60 ZR18 BT54R (73W) TL G CB1000	180,0	216,0
49944	150/70 ZR18 BT54R (70W) TL	156,0	187,2
77662	120/70 ZR18 BT020F (59W) TL G ROADSTAR	131,0	157,2
79138	120/70 ZR18 BT020F (59W) TL F ST1300 WAR	131,0	157,2
4871	110/80 ZR19 BT023F (59W) TL	92,0	110,4
6257	110/80 ZR19 T30F (59W) TL	126,0	151,2
8456	110/80 ZR19 T30 EVO (59W) TL	110,0	132,0
10542	120/70 ZR19 T31F (60W) TL	115,0	138,0
10543	110/80 ZR19 T31F (59W) TL	110,0	132,0
19623	120/70 ZR19 T32F (60W) TL	136,0	163,2
19624	110/80 R19 T32F 59V TL	131,0	157,2
Sport Touring diagonal			
17394	130/90 -16 BT46R 67H TL	120,0	144,0
17409	150/80 -16 BT46R 71V TL	140,0	168,0
19609	100/90 -16 BT46F 54H TL	92,0	110,4
19614	110/90 -16 BT46F 59V TL	100,0	120,0
19615	120/80 -16 BT46F 60V TL	107,0	128,4
24752	130/90 -16 BT46R 67V TL	122,0	146,4
76036	100/90 -16 BT45F 54H TL	92,0	110,4
76049	130/90 -16 BT45R 67H TL	120,0	144,0
76211	130/90 -16 BT45R 67V TL	122,0	146,4
76212	110/90 -16 BT45F 59V TL	100,0	120,0
76213	120/80 -16 BT45F 60V TL	107,0	128,4
76214	150/80 -16 BT45R 71V TL	145,0	174,0
17388	110/70 -17 BT46F 54H TL	80,0	96,0
17389	110/80 -17 BT46F 57H TL	90,0	108,0
17396	120/80 -17 BT46R 61H TL	105,0	126,0
17397	130/70 -17 BT46R 62H TL	100,0	120,0
17398	130/80 -17 BT46R 65H TL	111,0	133,2
17399	140/70 -17 BT46R 66H TL	105,0	126,0

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
17400	150/70 -17 BT46R 69H TL	122,0	146,4
17410	120/90 -17 BT46R 64V TL	122,0	146,4
17411	130/90 -17 BT46R 68V TL	124,0	148,8
17412	140/80 -17 BT46R 69V TL	130,0	156,0
19610	100/80 -17 BT46F 52H TL	75,0	90,0
19611	120/70 -17 BT46F 58H TL	100,0	120,0
24750	110/80 -17 BT46F 57V TL	93,0	111,6
24753	150/70 -17 BT46R 69V TL	134,0	160,8
49757	100/80 -17 BT39SSR 52S TL QW BT39SS	107,0	128,4
49996	80/90 -17 BT39FSS 44S TL QW BT39SS	107,0	128,4
72819	90/80 -17 BT39FSS 46S TL NU BT39SS	103,0	123,6
72950	120/80 -17 BT39SSR 61S TL QW BT39SS	104,0	124,8
74681	120/80 -17 BT39R 61H TL SZ	83,0	99,6
74873	100/80 -17 BT39FSS 52S TL QW BT39SS	93,0	111,6
75187	100/80 -17 BT39F 52H TL SZ	81,0	97,2
76034	100/80 -17 BT45F 52H TL	75,0	90,0
76038	110/70 -17 BT45F 54H TL	80,0	96,0
76039	110/80 -17 BT45F 57H TL	90,0	108,0
76041	110/90 -17 BT45R 60H TL	108,0	129,6
76043	120/70 -17 BT45F 58H TL	100,0	120,0
76044	120/80 -17 BT45R 61H TL	105,0	126,0
76046	130/70 -17 BT45R 62H TL	100,0	120,0
76048	130/80 -17 BT45R 65H TL	111,0	133,2
76050	140/70 -17 BT45R 66H TL	105,0	126,0
76052	150/70 -17 BT45R 69H TL	122,0	146,4
76072	130/70 -17 BT39R 62H TL SZ	104,0	124,8
76074	140/70 -17 BT39R 66H TL SZ	118,0	141,6
76089	110/70 -17 BT39F 54H TL SZ	83,0	99,6
76215	130/90 -17 BT45R 68V TL	124,0	148,8
76216	120/90 -17 BT45R 64V TL	122,0	146,4
76217	140/80 -17 BT45R 69V TL	130,0	156,0
76296	110/80 -17 BT45F 57V TL	105,0	126,0
76297	150/70 -17 BT45R 69V TL	133,0	159,6
76958	140/80 B17 BT45R 69V TL K1100LT	130,0	156,0
77895	120/70 B17 BT020F 58V TL M	144,0	172,8
78300	110/70 -17 BT45F 54H TL G GS500 WAR	80,0	96,0
78301	130/70 -17 BT45R 62H TL G GS500 WAR	100,0	120,0
78395	160/70 B17 BT020R 79V RFD TL M K1200LT W	175,0	210,0
17390	110/90 -18 BT46F 61H TL	105,0	126,0
17391	90/90 -18 BT46F 51H TL	83,0	99,6
17392	100/90 -18 BT46F 56H TL	92,0	110,4
17401	110/90 -18 BT46R 61H TL	105,0	126,0
17402	120/80 -18 BT46R 62H TL	108,0	129,6
17403	130/70 -18 BT46R 63H TL	107,0	128,4
17404	140/70 -18 BT46R 67H TL	125,0	150,0
17405	4.00 -18 BT46R 64H TT	106,0	127,2
17406	110/80 -18 BT46R 58H TL	100,0	120,0
17407	100/90 -18 BT46F 56V TL	100,0	120,0
17413	120/90 -18 BT46R 65V TL	119,0	142,8
19612	100/80 -18 BT46F 53H TL	97,0	116,4
19613	150/70 -18 BT46R 70H TL	136,0	163,2

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
19616	110/80 -18 BT46F 58V TL	100,0	120,0
19617	130/80 -18 BT46R 66V TL	117,0	140,4
24751	110/90-18 BT46F 61V TL UM	106,0	127,2
24754	140/70 -18 BT46R 67V TL	129,0	154,8
76035	100/80 -18 BT45F 53H TL	97,0	116,4
76037	100/90 -18 BT45F 56H TL	92,0	110,4
76040	110/80 -18 BT45R 58H TL	100,0	120,0
76042	110/90 -18 BT45R 61H TL	105,0	126,0
76045	120/80 -18 BT45R 62H TL	108,0	129,6
76047	130/70 -18 BT45R 63H TL	107,0	128,4
76051	140/70 -18 BT45R 67H TL	125,0	150,0
76054	3.50 -18 BT45F 56H TT	80,0	96,0
76055	4.00 -18 BT45R 64H TT	104,0	124,8
76056	90/90 -18 BT45F 51H TL	83,0	99,6
76206	4.00 -18 BT45R 64H TL	106,0	127,2
76218	140/70 -18 BT45R 67V TL	142,0	170,4
76220	130/80 -18 BT45R 66V TL	117,0	140,4
76222	100/90 -18 BT45F 56V TL	100,0	120,0
76223	110/90 -18 BT45F 61V TL	106,0	127,2
76224	120/90 -18 BT45R 65V TL	119,0	142,8
76629	130/80 -18 AC04 66H TT G W650	116,0	139,2
76797	2.00 -18 AC01 TT SPECIAL	26,0	31,2
76798	2.25 -18 AC02 TT SPECIAL	26,0	31,2
76957	110/80 -18 BT45F 58V TL K1100LT	113,0	135,6
17393	3.25 -19 BT46F 54H TL	83,0	99,6
17408	100/90 -19 BT46F 57V TL	105,0	126,0
24748	100/90 -19 BT46F 57H TL	97,0	116,4
75932	100/90 -19 BT45F 57H TT T908MD	96,0	115,2
76207	3.25 -19 BT45F 54H TL	83,0	99,6
76225	100/90 -19 BT45F 57V TL	105,0	126,0
76628	100/90 -19 AC03 57H TT G W650	99,0	118,8
24749	90/90-21 BT46F 54H TL UM	92,0	110,4
78378	90/90 -21 BT45F 54H TL	92,0	110,4
	Trail on/off		
17372	120/90 -16 AX41R 63P TL UM	87,0	104,4
18589	120/90 -16 TW202 63P TL	83,0	99,6
70277	120/90 -16 TW40 63P TL	87,0	104,4
72974	120/90 -16 TW40 63P TT	85,0	102,0
16627	140/80 B17 AX41R 69Q TL UM	129,0	154,8
16628	150/70 B17 AX41R 69Q TL UM	133,0	159,6
16629	170/60 B17 AX41R 72Q TL UM	138,0	165,6
16631	130/80 B17 AX41R 65Q TL UM	122,0	146,4
17369	130/80 -17 AX41R 65P TL UM	118,0	141,6
17378	120/90 -17 AX41R 64P TL UM	102,0	122,4
17379	4.60 -17 AX41R 62P TT	82,0	98,4
49767	4.60 -17 TW302 62P TT	79,0	94,8
2211	120/80 -18 TW302 62P TT F WR250R WAR	88,0	105,6
16630	150/70 B18 AX41R 70Q TL UM	143,0	171,6
17368	120/80 -18 AX41R 62P TL UM	92,0	110,4
17371	120/90 -18 AX41R 65P TL UM	103,0	123,6
17374	100/90 -18 AX41F 56P TL UM	84,0	100,8

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
17375	130/80 -18 AX41R 66P TL UM	119,0	142,8
17380	4.00 -18 AX41R 64P TL UM	83,0	99,6
17381	4.10 -18 AX41R 59P TL UM	81,0	97,2
17382	4.60 -18 AX41R 63P TT	87,0	104,4
72990	4.00 -18 TW24 64P 4 TT	74,0	88,8
74714	4.10 -18 TW302 59P TT	71,0	85,2
74715	4.60 -18 TW302 63P TT	83,0	99,6
77246	130/80 -18 TW302 66S TT KTMLC4	90,0	108,0
16623	100/90 -19 AX41F 57Q TL UM	109,0	130,8
16624	110/80 B19 AX41F 59Q TL UM	109,0	130,8
16625	120/70 B19 AX41F 60Q TL	109,0	130,8
17373	90/100 -19 AX41F 55P TL UM	75,0	90,0
72879	90/100 -19 TW39 55P TT	71,0	85,2
2210	80/100 -21 TW301 51P TT F WR250R WAR	72,0	86,4
16626	90/90 -21 AX41F 54Q TL UM	105,0	126,0
17366	80/100 -21 AX41F 51P TT	75,0	90,0
17376	2.75 -21 AX41F 45P TT	65,0	78,0
17377	3.00 -21 AX41F 51P TT	75,0	90,0
74717	2.75 -21 TW301 45P TT G	52,0	62,4
74718	3.00 -21 TW301 51P TT KTM 125	65,0	78,0
77245	90/90 -21 TW301 54S TT KTMLC4	76,0	91,2
72884	3.00 -23 TW9 56P 4 S1T TT	72,0	86,4
	Trail road radial		
10269	160/60 R15 TW152 67H TL M HONDA WAR	139,0	166,8
10278	120/70 R15 A41F 56V TL M YAMAHA WAR	142,0	170,4
16619	160/60 R15 AX41S R 67H TL	126,0	151,2
23545	160/60 R15 AX41TR 67H TL F HON X-ADV WAR	132,0	158,4
1571	130/80 R17 BW502 65H TT	120,0	144,0
1572	140/80 R17 BW502 69H TT	128,0	153,6
1780	140/80 R17 BW502 69V TL G BMW WAR	144,0	172,8
1889	150/70 R17 BW502 69V TT G F800GS WAR	132,0	158,4
2036	130/80 R17 BW502 65H TL	120,0	144,0
3916	150/70 R17 BW502 69V TL E YAM WAR	132,0	158,4
5032	150/70 R17 BW502 69V TL F HON WAR	132,0	158,4
7318	150/70 R 17 M/C BW502 69V J SUZ	132,0	158,4
7864	120/70 ZR17 T30F (58W) TL F VERSYS WAR	131,0	157,2
7865	180/55 ZR17 T30R (73W) TL F VERSYS WAR	176,0	211,2
7906	150/70 R17 A40R 69V TL	132,0	158,4
8469	170/60 R17 A40R 72V TL	139,0	166,8
9331	120/70 ZR17 BW501 (58W) TL G NC750X WAR	134,0	160,8
9332	160/60 ZR17 BW502 (69W) TL G NC750X WAR	134,0	160,8
9340	140/80 R17 TW152 69H TT E SCR950 WAR	137,0	164,4
10263	150/70 R17 A40R 69V TL F V-STROM650 WAR	141,0	169,2
10268	120/70 R17 TW101 58H TL M HONDA WAR	107,0	128,4
10270	120/70 ZR17 A40F (58W) TL G VFR800X WAR	134,0	160,8
10271	180/55 ZR17 A40R (73W) TL G VFR800X WAR	194,0	232,8
10279	190/55 R17 A41R 75V TL M YAMAHA WAR	194,0	232,8
10563	120/70 ZR17 A41F (58W) TL	108,0	129,6
10566	130/80 R17 A41R 65H TL	123,0	147,6
10567	140/80 R17 A41R 69V TL	130,0	156,0
10568	150/70 R17 A41R 69V TL	134,0	160,8

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
10570	160/60 ZR17 A41R (69W) TL	137,0	164,4
10571	170/60 R17 A41R 72V TL	139,0	166,8
10572	170/60 ZR17 A41R 72W TL	143,0	171,6
10573	180/55 ZR17 A41R (73W) TL	162,0	194,4
10574	190/55 ZR17 A41R (75W) TL	172,0	206,4
13531	150/70 R17 A41R 69V TL G F750/850GS WAR	143,0	171,6
13533	150/70 R17 A41R 69V TL G CANCELED WAR	143,0	171,6
13754	170/60 R17 A41R 72V TL G R1200GS WAR	139,0	166,8
16617	120/70 R17 AX41S F 58H TL UM	108,0	129,6
16620	160/60 R17 AX41S R 69H TL UM	138,0	165,6
16621	170/60 R17 AX41S R 72H TL UM	144,0	172,8
16622	180/55 R17 AX41S R 73H TL UM	147,0	176,4
19721	150/70 R17 A41R 69V TL E TRIUMPH WAR	141,0	169,2
22923	150/70 R17 A41R 69V TL F V-STROM'20 WAR	141,0	169,2
23544	120/70 R17 AX41TF 58H TL F HON X-ADV WAR	108,0	129,6
24743	150/70 R17 AT41R 69V TL M+S UM	134,0	160,8
24744	170/60 R17 AT41R 72V TL M+S	139,0	166,8
24746	140/80 R17 AT41R 69V TL M+S UM	130,0	156,0
24747	130/80 R17 AT41R 65H TL M+S UM	123,0	147,6
49539	130/80 R17 TW152 65H TT	120,0	144,0
73095	140/80 R17 TW152 69H TT	137,0	164,4
76265	150/70 R17 TW152 69H TL G R1150GS	128,0	153,6
77224	150/70 R17 TW152 69H TL F V-STROM	128,0	153,6
77509	150/70 R17 TW152 69H TL E VARADERO	128,0	153,6
79224	150/70 R17 BW502 69V TL WAR	132,0	158,4
79235	150/70 R17 BW502 69H TL	128,0	153,6
10561	110/80 R18 A41F 58H TL	109,0	130,8
10569	150/70 ZR18 A41R 70W TL	145,0	174,0
13525	150/70 R18 A41R 70H TT G CRF1000L WAR	141,0	169,2
19885	110/80 R18 AX41S F 58H TL UM	108,0	129,6
21299	150/70 R18 AX41TR 70H TT G ATWIN'20 WAR	157,0	188,4
21520	150/70 R18 AX41TR 70H TL L ATWIN'20 WAR	157,0	188,4
24745	150/70 R18 AT41R 70V TL M+S UM	143,0	171,6
1778	110/80 R19 BW501 59V TL G BMW WAR	111,0	133,2
3915	110/80 R19 BW501 59V TL E YAM WAR	111,0	133,2
5031	110/80 R19 BW501 59V TL F HON WAR	111,0	133,2
7317	110/80 R 19 M/C BW501 59V J SUZ	111,0	133,2
7905	110/80 R19 A40F 59V TL	111,0	133,2
8468	120/70 R19 A40F 60V TL	109,0	130,8
10262	110/80 R19 A40F 59V TL F V-STROM650 WAR	119,0	142,8
10562	110/80 R19 A41F 59V TL	111,0	133,2
10564	120/70 R19 A41F 60V TL	109,0	130,8
10565	120/70 ZR19 A41F 60W TL	114,0	136,8
13530	110/80 R19 A41F 59V TL G F750GS WAR	119,0	142,8
13753	120/70 R19 A41F 60V TL G R1200GS WAR	109,0	130,8
16618	120/70 R19 AX41S F 60H TL	116,0	139,2
22922	110/80 R19 A41F 59V TL F V-STROM'20 WAR	119,0	142,8
24740	110/80 R19 AT41F 59V TL M+S	111,0	133,2
24741	120/70 R19 AT41F 60V TL M+S	109,0	130,8
76264	110/80 R19 TW101 59H TL G R1150GS	108,0	129,6
77508	110/80 R19 TW101 59H TL E VARADERO	108,0	129,6

Rehvi mōõt ja muster		Hind km.-ta	Hind km.-ga
78319	110/80 R19 TW101 59H TL J V-STROM WAR	108,0	129,6
79223	110/80 R19 BW501 59V TL WAR	111,0	133,2
79234	110/80 R19 BW501 59H TL	108,0	129,6
Trail road diagonal			
17387	180/80 -14 AX41S R 78P TT	121,0	145,2
77256	180/80 -14 TW204 78P TT TW125	114,0	136,8
79220	120/90 -16 TW202 63P TT TRICKER WAR	87,0	104,4
7416	120/90 -17 M/C TW42 64S TT	101,0	121,2
17383	130/80 -17 AX41S R 65H TL	101,0	121,2
72999	130/80 -17 TW54 65P TL	98,0	117,6
73709	130/80 -17 TW42 65S TT	101,0	121,2
74848	120/90 -17 TW48 64S TT G TRXL600V	102,0	122,4
79080	130/80 -17 TW42 65H TT SCRAMBLE WAR	101,0	121,2
17384	100/90 -18 AX41S F 56H TL	101,0	121,2
17386	130/80 -18 AX41S F 66P TT	87,0	104,4
72887	100/90 -18 TW53 56P TL	76,0	91,2
76368	120/90 -18 TW42 65P TT DRZ400S	87,0	104,4
77349	130/80 -18 TW203 66P TT	85,0	102,0
1570	100/90 -19 BW501 57H TT	96,0	115,2
1742	100/90 -19 TW101 57H TT TRANSALP WAR	93,0	111,6
9339	100/90 -19 TW101 57H TT E SCR950 WAR	93,0	111,6
10560	100/90 -19 A41F 57V TL	107,0	128,4
17385	100/90 -19 AX41S F 57H TL	103,0	123,6
24739	100/90 -19 AT41F 57V TL	107,0	128,4
49540	100/90 -19 TW101 57H TT SCRAMBLE	93,0	111,6
79219	80/100 -19 TW201 49P TT TRICKER WAR	72,0	86,4
1569	90/90 -21 BW501 54H TT	87,0	104,4
1887	90/90 -21 BW501 54V TT G F800GS WAR	88,0	105,6
2033	90/90 -21 BW501 54H TL	88,0	105,6
10559	90/90 V21 A41F (54V) TL	112,0	134,4
13524	90/90 -21 A41F 54H TT G CRF1000L WAR	96,0	115,2
13532	90/90 -21 A41F 54V TL G F850GS WAR	119,0	142,8
19720	90/90 -21 A41F 54V TL E TRIUMPH WAR	96,0	115,2
21162	90/90 -21 AX41TF 54H TT G ATWIN'20 WAR	106,0	127,2
21318	90/90 -21 AX41TF 54H TL L ATWIN'20 WAR	106,0	127,2
24742	90/90 -21 AT41F 54V TL M+S UM	112,0	134,4
70179	90/90 -21 TW41 54S TT	75,0	90,0
73578	90/90 -21 TW101 54H TT ATXR750	93,0	111,6
75025	90/90 -21 TW47 54S TT G TRXL600V	76,0	91,2